



Product Information Bulletin

P.O. Box 467 | 64 Outwater Lane, Garfield, NJ 07026 Ph: 973-340-7889 | Fax: 973-340-7809

System #3 Pipe Markers



SIZE CHART

MARKER STYLE	OUTSIDE PIPE DIAMETER	CHARACTER SIZE	ROLL DIMENSIONS	LEGENDS PER ROLL
Small	3/4" - 2 3/8"	3/4 inch	8 x 1 1/2"	240
Large	2 1/2" - 7 7/8"	1 1/4 inch	14 x 2 1/4"	144

Compliance:

- ANSI / ASME A13.1-2007 "Scheme for the Identification of Piping Systems"
- ANSI Z535.1 "Safety Color Code"

Standard Colors:

• Flammable Fluids	• Potable, Cooling, Boiler Feed & Other Water	• Compressed Air	• Fire Quenching Fluids	• Toxic & Corrosive Fluids
• Combustible Fluids	• Defined by User	• Defined by User	• Defined by User	• Defined by User

Material:

Outdoor Grade 3.2 mil thick high gloss adhesive backed calendared vinyl film, printed using UV and chemical resistant inks, to insure durability in most commercial / industrial environments.

Use:

Identify piping systems. Typically installed by wrapping the label completely around the pipe to provide a 360° visible marker. Legends and arrows are printed repeatedly in opposite directions to allow the label to be applied in any direction achieving proper reading while indicating pipe content flow.

Adhesive:

Aggressive Acrylic Adhesive formulated to adhere to a variety of insulated and non insulated pipe surfaces.

Surface Preparation:

Surface must be dry and reasonably clean prior to applying adhesive backed label product. Minimum Surface Temperature 50° F.

Outdoor Durability: 4 to 5 years Mid Continental US

Abrasion Resistance: Good

Water Resistance: Good

Solvent Resistance: Good

Service Temp: -20°F (-29°C) to 200°F (93°C)

Storage Stability: 2 years at 70°F with 50 RH

DATE: ___ / ___ / ___

JOB: _____

CONTRACTOR: _____