

Product Information Bulletin

64 Outwater Lane, Garfield, NJ 07026 Ph: 973-340-7889 | Fax: 973-340-7809

Stamped Brass Valve Tags

.032 (0.8mm) Brass

Valve Tags Size:

- Diameter: 1-1/2" (38mm) or 2" (51mm)
- Black Filled

Material Thickness:

- .032" (0.8mm) Brass

Material Gauge:

- Brass: 20 gauge (approx.)

Size & Shapes:

- 1-1/2" (38mm) Round
- 1-1/2" (38mm) Square
- 2" (51mm) Round
- 2" (51mm) Square
- 2" (51mm) Octagon
- 2" (51mm) Triangle



* Also Available 1/2" (13mm) Letters

** Also Available 1/4" (6.4mm) Numbers

2" Tags Are Also Available With

3 Lines Of Alphanumerical Characters At 1/4" (6.4mm)

Maximum Character Chart Per Valve Tag All Shapes / Sizes

VALVE TAG SIZE	CHARACTER SIZE	MAXIMUM QUANTITY OF NUMBERS	MAXIMUM QUANTITY OF LETTERS
1-1/2" / 38mm	1/4" / 6.4mm	5	5
1-1/2" / 38mm	1/2" / 13mm	3	2
2" / 51mm	1/4" / 6.4mm	6	6
2" / 51mm	1/2" / 13mm	4	3

3/16" Hole (5mm)

1/4" Top Line (6.4 mm)

1/2" Bottom Line (13mm)



1-1/2"
(38mm)

3/16" Hole (5mm)

*1/4" Top Line (6.4mm)

**1/2" Bottom Line (13mm)



2"
(51mm)

Specification Compliance:

Meets ANSI / ASME A13.1-2020 Standard

Valve Tag Fasteners:

- Meter Seals (Lead Seals)
- #16 Jack Chain (Brass or Stainless Steel)
- #6 Beaded Chain (4-1/2" long Brass)
- #6 Beaded Chain (4-1/2" long Stainless Steel)
- 6" Nylon Ties
- "S" Hooks (Brass or Stainless Steel)
- Zinc Hooks

DATE: ___ / ___ / ___

JOB: _____

CONTRACTOR: _____

Product Information Bulletin

64 Outwater Lane, Garfield, NJ 07026 Ph: 973-340-7889 | Fax: 973-340-7809

Custom Stamped Brass Valve Tags

.032 (0.8mm) Brass

Valve Tags Size:

- Diameter: 1-1/2" (38mm) or 2" (51mm)
- Black Filled

Material Thickness:

- .032" (0.8mm) Brass

Material Gauge:

- Brass: 20 gauge (approx.)

Size & Shapes:

- 1-1/2" (38mm) Round
- 1-1/2" (38mm) Square
- 2" (51mm) Round
- 2" (51mm) Square
- 2" (51mm) Octagon
- 2" (51mm) Triangle



* Also Available 1/2" (13mm) Letters

** Also Available 1/4" (6.4mm) Numbers

2" Tags Are Also Available With

3 Lines Of Alphanumerical Characters At 1/4" (6.4mm)

Maximum Character Chart Per Valve Tag All Shapes / Sizes

VALVE TAG SIZE	CHARACTER SIZE	MAXIMUM QUANTITY OF NUMBERS	MAXIMUM QUANTITY OF LETTERS
1-1/2" / 38mm	1/4" / 6.4mm	5	5
1-1/2" / 38mm	1/2" / 13mm	3	2
2" / 51mm	1/4" / 6.4mm	6	6
2" / 51mm	1/2" / 13mm	4	3

3/16" Hole (5mm)

1/4" Top Line (6.4 mm)

1/2" Bottom Line (13mm)



1-1/2"
(38mm)

3/16" Hole (5mm)

*1/4" Top Line (6.4mm)

**1/2" Bottom Line (13mm)



2"
(51mm)

Specification Compliance:

Meets ANSI / ASME A13.1-2020 Standard

Valve Tag Fasteners:

- Meter Seals (Lead Seals)
- #16 Jack Chain (Brass or Stainless Steel)
- #6 Beaded Chain (4-1/2" long Brass)
- #6 Beaded Chain (4-1/2" long Stainless Steel)
- 6" Nylon Ties
- "S" Hooks (Brass or Stainless Steel)
- Zinc Hooks

DATE: ___ / ___ / ___

JOB: _____

CONTRACTOR: _____

Product Information Bulletin

64 Outwater Lane, Garfield, NJ 07026 Ph: 973-340-7889 | Fax: 973-340-7809

Blank Brass Valve Tags

.032 (0.8mm) Brass

Valve Tags Size:

- Diameter: 1-1/2" (38mm) or 2" (51mm)

Material Thickness:


- .032" (0.8mm) Brass

Material Gauge:

- Brass: 20 gauge (approx.)

Size & Shapes:


- 1-1/2" (38mm) Round
- 1-1/2" (38mm) Square
- 2" (51mm) Round
- 2" (51mm) Square



Valve Tag Fasteners:

- Meter Seals (Lead Seals)
- #16 Jack Chain (Brass or Stainless Steel)
- #6 Beaded Chain (4-1/2" long Brass)
- #6 Beaded Chain (4-1/2" long Stainless Steel)
- 6" Nylon Ties
- "S" Hooks (Brass or Stainless Steel)
- Zinc Hooks

3/16" Hole (5mm)



1-1/2"
(38mm)



2"
(51mm)

* Also Available 1/2" (13mm) Letters

** Also Available 1/4" (6.4mm) Numbers

2" Tags Are Also Available With

3 Lines Of Alphanumerical Characters At 1/4" (6.4mm)

Maximum Character Chart Per Valve Tag All Shapes / Sizes

VALVE TAG SIZE	CHARACTER SIZE	MAXIMUM QUANTITY OF NUMBERS	MAXIMUM QUANTITY OF LETTERS
1-1/2" / 38mm	1/4" / 6.4mm	5	5
1-1/2" / 38mm	1/2" / 13mm	3	2
2" / 51mm	1/4" / 6.4mm	6	6
2" / 51mm	1/2" / 13mm	4	3

Steel Stamps

Make your own valve tags by using our blank brass tags and steel stamps to make the impression. Simply place blank valve tag on a solid surface, place steel stamp on the blank tag and strike with hammer.

Part #	Description	Character Size	Number of Characters
SL4	Letter Set	1/4"	27
SN4	Number Set	1/4"	10
SL2	Letter Set	1/2"	27
SN2	Number Set	1/2"	10



DATE: ___ / ___ / ___

JOB: _____

CONTRACTOR: _____



Product Information Bulletin

64 Outwater Lane, Garfield, NJ 07026 Ph: 973-340-7889 | Fax: 973-340-7809

Laser Etched Valve Tags

.032 (0.8mm) Brass or Stainless Steel

Valve Tags Size:

- Diameter: 1-1/2" & 2" (38mm & 51mm)

Material Thickness:

- .032" (0.8mm) Brass & Stainless Steel
- Brass: 20 gauge (approx.)
- Stainless Steel: 22 gauge (approx.)
- Type 304 Stainless Steel
- Supplied with a 3/16" (5mm) hole

Product Description:

Laser etched valve tags are ideal for corrosive environments that require variable or complex information that needs to have contrasting black copy.

Engraving Depth:

- Surface Etched (Laser etched permanent black copy)

Durability:

- 10 years outdoors when exposed to normal weather conditions.
- Excellent durability in many corrosive environments.
- Extremely harsh areas should be tested for compatibility.



Size & Shapes:

- 1-1/2" (38mm) Round (Brass or S.S.)
- 1-1/2" (38mm) Square (Brass or S.S.)
- 2" (51mm) Round (Brass or S.S.)
- 2" (51mm) Square (Brass or S.S.)



Lettering Size & Number of Text Lines:

- Copy size is determined based on number of characters to be etched.
- Standard copy sizes: 3/16", 1/4", 3/8", 1/2", To Fit. (5mm, 6.4mm, 10mm, 13mm)
- Numbers of lines: 1 Line, 2 Lines or 3 Lines



Valve Tag Fasteners:

- Meter Seals (Lead Seals)
- #16 Jack Chain (Brass or Stainless Steel)
- #6 Beaded Chain (4-1/2" long Brass)
- #6 Beaded Chain (4-1/2" long Stainless Steel)
- 6" Nylon Ties
- "S" Hooks (Brass or Stainless Steel)
- Zinc Hooks

DATE: / /

JOB: _____

CONTRACTOR: _____