

## Product Information Bulletin

64 Outwater Lane, Garfield, NJ 07026 Ph: 973-340-7889 | Fax: 973-340-7809

### Engraved Nameplates Briply™ (Regular Plastic)

**Material:**

Briply™ (Regular Plastic) is a non-directional matte finish flexible blended acrylic extruded sheet, with cap and core permanently fused together. Material is also break resistant, stain resistant, chip proof and shatter proof.

**Product Description:**

• Brimar's standard engraved plastic nameplates are engraved on one side and available in a variety of colors and sizes to better identify hazards.

**Appearance:**

• All sides are beveled for a neat finished look.  
• Corners are typically provided square.

**Application:**

• Nameplates are provided with mounting holes (3/16" -5mm- default hole size), adhesive backing or both.

**LEED Compliance:** Nameplates with adhesive backing are in compliance with the Standards set forth by the South Coast Air Quality Management District (SCAQMD) Rule #1168 and the Green Seal Standard, GS-36 for Commercial Adhesives pertaining to Volatile Organic Compounds (VOC).  
• When supplied with adhesive the adhesive backing on this product contains < 5.8 grams / Liter VOC.

**Physical Characteristics:**

• Standard: 2 Ply 1/16" (1.6mm) thick for engraving on one side.  
• Special: 3 Ply 1/16" or 1/8" (1.6mm or 3mm) thick for engraving on one or both sides

**Standard Sizes & Shapes\*:**

<input type="checkbox"/> 2.5 x .75" 64 x 19mm	<input type="checkbox"/> 6 x 4" 152 x 102mm
<input type="checkbox"/> 2.5 x 1" 64 x 25mm	<input type="checkbox"/> 8 x 4" 203 x 102mm
<input type="checkbox"/> 3 x 1" 76 x 25mm	<input type="checkbox"/> 10 x 4" 254 x 102mm
<input type="checkbox"/> 3 x 2" 76 x 51mm	<input type="checkbox"/> 12 x 4" 305 x 102mm
<input type="checkbox"/> 4 x 1.5" 102 x 38mm	<input type="checkbox"/> 12 x 6" 305 x 152mm
<input type="checkbox"/> 4 x 2" 102 x 51mm	<input type="checkbox"/> 12 x 8" 305 x 203mm
<input type="checkbox"/> 4 x 2.5" 102 x 64mm	<input type="checkbox"/> 12 x 12" 305 x 305mm
<input type="checkbox"/> 6 x 2" 152 x 51mm	<input type="checkbox"/> 18 x 12" 457 x 305mm
<input type="checkbox"/> 6 x 3" 152 x 76mm	<input type="checkbox"/> 18 x 18" 457 x 457mm



**Max. Temperature:**

• -40° F to 200° F  
• -40° C to 93° C

**Durability:**

• Indoor - Indefinite  
• Outdoor - Limited

(6-12 months susceptible fading)  
Other special products available for exterior durability.



COLORS AVAILABLE	
Background	Lettering
Black	White
White	Black
Red	White
Yellow	Black
Blue	White
Green	White
Green	Yellow

**Letter Sizes:** 1/4" (6.4mm), 3/8" (10mm), 1/2" (13mm), 3/4" (19mm), 1" (25.4mm), 1.25" (32mm), 1.5" (38mm) or Copy to Fit.  
Letter sizes are determined by size of tag, number of lines, and number of characters per line.

DATE: \_\_\_\_ / \_\_\_\_ / \_\_\_\_

JOB: \_\_\_\_\_

CONTRACTOR: \_\_\_\_\_

## Product Information Bulletin

64 Outwater Lane, Garfield, NJ 07026 Ph: 973-340-7889 | Fax: 973-340-7809

# Laser Engraved Nameplates Briply Ultra™

### Material:

Briply Ultra™ (Laser Engraving Plastic) is a matte or satin finish modified acrylic UV stable sheet, with cap and core permanently fused together. Material is also break resistant, stain resistant, chip proof and shatter proof.

### Product Description:

- Brimar's standard engraved plastic nameplates are engraved on one side and available in a variety of colors and sizes to better identify hazards.

### Appearance:

- All sides are beveled for a neat finished look.
- Corners are typically provided square.
- Straight edge cut is also available

### Application:

- Nameplates are provided with mounting holes (3/16" -5mm- default hole size), adhesive backing or both.

**LEED Compliance:** Nameplates with adhesive backing are in compliance with the Standards set forth by the South Coast Air Quality Management District (SCAQMD) Rule #1168 and the Green Seal Standard, GS-36 for Commercial Adhesives pertaining to Volatile Organic Compounds (VOC).

- When supplied with adhesive the adhesive backing on this product contains < 5.8 grams / Liter VOC.

### Physical Characteristics:

- Standard: 2 Ply 1/16" (1.6mm) thick for engraving on one side.

### Standard Sizes & Shapes\*:

<input type="checkbox"/> 2.5 x .75" 64 x 19mm	<input type="checkbox"/> 6 x 4" 152 x 102mm
<input type="checkbox"/> 2.5 x 1" 64 x 25mm	<input type="checkbox"/> 8 x 4" 203 x 102mm
<input type="checkbox"/> 3 x 1" 76 x 25mm	<input type="checkbox"/> 10 x 4" 254 x 102mm
<input type="checkbox"/> 3 x 2" 76 x 51mm	<input type="checkbox"/> 12 x 4" 305 x 102mm
<input type="checkbox"/> 4 x 1.5" 102 x 38mm	<input type="checkbox"/> 12 x 6" 305 x 152mm
<input type="checkbox"/> 4 x 2" 102 x 51mm	<input type="checkbox"/> 12 x 8" 305 x 203mm
<input type="checkbox"/> 4 x 2.5" 102 x 64mm	<input type="checkbox"/> 12 x 12" 305 x 305mm
<input type="checkbox"/> 6 x 2" 152 x 51mm	<input type="checkbox"/> 18 x 12" 457 x 305mm
<input type="checkbox"/> 6 x 3" 152 x 76mm	<input type="checkbox"/> 18 x 18" 457 x 457mm

### Max. Temperature:

- -40° F to 200° F
- -40° C to 93° C

### Durability:

- Indoor - Indefinite
- Outdoor - 2 to 4 years

(6-12 months susceptible fading)  
Other special products available for exterior durability.





Illustration 2: Nameplate for viewing distances of 72" (1830 mm)

### COLORS AVAILABLE

Background	Lettering
Black	White
White	Black
Red	White
Yellow	Black
Blue	White
Green	White

**Letter Sizes:** 1/4" (6.4mm), 3/8" (10mm), 1/2" (13mm), 3/4" (19mm), 1" (25.4mm), 1.25" (32mm), 1.5" (38mm) or Copy to Fit. Letter sizes are determined by size of tag, number of lines, and number of characters per line.

DATE: \_\_\_ / \_\_\_ / \_\_\_

JOB: \_\_\_\_\_

CONTRACTOR: \_\_\_\_\_

## Product Information Bulletin

64 Outwater Lane, Garfield, NJ 07026 Ph: 973-340-7889 | Fax: 973-340-7809

# Laser Etched Aluminum Nameplates

## .032 (0.8mm) Colored Anodized Aluminum

### Material:

Anodized Aluminum is a matte finished coating in clear or color on the surface. The coating (color) becomes part of the aluminum surface, and resists further oxidation.

### Product Description:

• Brimar's standard aluminum nameplates are laser etched on one side (double sided available) and also available in a variety of colors and sizes to better identify hazards.

### Appearance:

• Corners are typically provided square with flat/straight cut edges.

### Application:

• Nameplates are provided with mounting holes (0.218" default hole size), adhesive backing or both.

**LEED Compliance:** Nameplates with adhesive backing are in compliance with the Standards set forth by the South Coast Air Quality Management District (SCAQMD) Rule #1168 and the Green Seal Standard, GS-36 for Commercial Adhesives pertaining to Volatile Organic Compounds (VOC).  
 • When supplied with adhesive the adhesive backing on this product contains < 5.8 grams / Liter VOC.

### Physical Characteristics:

• Standard: 1/32" (0.8mm) thick.

### Standard Sizes & Shapes\*:

<input type="checkbox"/> 2.5 x .75" 64 x 19mm	<input type="checkbox"/> 6 x 4" 152 x 102mm
<input type="checkbox"/> 2.5 x 1" 64 x 25mm	<input type="checkbox"/> 8 x 4" 203 x 102mm
<input type="checkbox"/> 3 x 1" 76 x 25mm	<input type="checkbox"/> 10 x 4" 254 x 102mm
<input type="checkbox"/> 3 x 2" 76 x 51mm	<input type="checkbox"/> 12 x 4" 305 x 102mm
<input type="checkbox"/> 4 x 1.5" 102 x 38mm	
<input type="checkbox"/> 4 x 2" 102 x 51mm	
<input type="checkbox"/> 4 x 2.5" 102 x 64mm	
<input type="checkbox"/> 6 x 2" 152 x 51mm	
<input type="checkbox"/> 6 x 3" 152 x 76mm	



### Durability:

- Indoor - Indefinite
- Outdoor - 2 to 3 years

### Dimensional Information:

Maximum plate size is 24 x 16" (610 x 406mm)  
 \* Other sizes available too.

**Letter Sizes:** 1/4" (6.4mm), 3/8" (10mm), 1/2" (13mm), 3/4" (19mm), and 1" (25.4mm), 1.5" (38mm) or Copy to Fit.  
 Letter sizes are determined by size of tag, number of lines, and number of characters per line.



### COLORS AVAILABLE

Background      Lettering

Black	Natural
Natural	Natural
Red	Natural
Gold	Natural
Blue	Natural
Green	Natural

DATE: / /

JOB: \_\_\_\_\_

CONTRACTOR: \_\_\_\_\_

## Product Information Bulletin

64 Outwater Lane, Garfield, NJ 07026 Ph: 973-340-7889 | Fax: 973-340-7809

# Engraved Phenolic Nameplates

## Electrically Non-Conductive / Non Flammable / Fire Retardant

**Material:** Glossy or Velvet / Low Glare finish. Rigid thermoset material with cap and core permanently fused together. Conforms to Military Spec LP-387A Type N.D.P. LP-509. Phenolic is electrically non-conductive and abrasion resistant.

**Product Description:**

- Brimar's standard engraved phenolic nameplates are engraved on one side and available in a variety of colors and sizes to better identify hazards.

**Appearance:**

- All sides are beveled for a neat finished look.
- Corners are typically provided square.

**Application:**

- Nameplates are provided with mounting holes (3/16" -5mm- default hole size), adhesive backing or both.

**LEED Compliance:** Nameplates with adhesive backing are in compliance with the Standards set forth by the South Coast Air Quality Management District (SCAQMD) Rule #1168 and the Green Seal Standard, GS-36 for Commercial Adhesives pertaining to Volatile Organic Compounds (VOC).

- When supplied with adhesive the adhesive backing on this product contains < 5.8 grams / Liter VOC.



**Physical Characteristics:**

- Standard: 3 Ply 1/16" (1.6mm) thick for engraving on one or both sides.
- Special: \*\*3 Ply 1/8" (3mm) thick for engraving on one or both sides.

\*\* (Not available in all colors, call for availability)

**Standard Sizes & Shapes\*:**

- |   |  |
|---|--|
| <input type="checkbox"/> 2.5 x .75" 64 x 19mm | <input type="checkbox"/> 6 x 2" 152 x 51mm   |
| <input type="checkbox"/> 2.5 x 1" 64 x 25mm   | <input type="checkbox"/> 6 x 3" 152 x 76mm   |
| <input type="checkbox"/> 3 x 1" 76 x 25mm     | <input type="checkbox"/> 6 x 4" 152 x 102mm  |
| <input type="checkbox"/> 3 x 2" 76 x 51mm     | <input type="checkbox"/> 8 x 4" 203 x 102mm  |
| <input type="checkbox"/> 4 x 1.5" 102 x 38mm  | <input type="checkbox"/> 10 x 4" 254 x 102mm |
| <input type="checkbox"/> 4 x 2" 102 x 51mm    | <input type="checkbox"/> 12 x 4" 305 x 102mm |
| <input type="checkbox"/> 4 x 2.5" 102 x 64mm  |  |



**Max. Temperature:**

- -30° F to 200° F
- -34° C to 93° C

**Durability:**

- Indoor - Indefinite
- Outdoor - Limited (6-12 months susceptible fading)

Other special products available for exterior durability.

**Dimensional Information:**

Maximum plate size is 24 x 16" (610 x 406mm)  
 Custom sizes also available

COLORS AVAILABLE	
Background	Lettering
Black	White
White	Black
Red	White
Yellow	Black
Blue	White
Green	White

**Letter Sizes:** 1/4" (6.4mm), 3/8" (10mm), 1/2" (13mm), 3/4" (19mm), 1" (25.4mm), 1.25" (32mm), 1.5" (38mm) or Copy to Fit.  
 Letter sizes are determined by size of tag, number of lines, and number of characters per line.

DATE: \_\_\_ / \_\_\_ / \_\_\_ JOB: \_\_\_\_\_

CONTRACTOR: \_\_\_\_\_

## Product Information Bulletin

64 Outwater Lane, Garfield, NJ 07026 Ph: 973-340-7889 | Fax: 973-340-7809

# Laser Etched Metal Nameplates

## .032" (0.8mm) Brass or Stainless Steel

Illustration of nameplate for viewing distances of 24" (600 mm) or less





Illustration of nameplate for viewing distances of 72" (1830 mm)



### Material:

- .032" (0.8mm)
- Brass or Stainless Steel
- 19 gauge (approx.)
- Stainless Steel supplied with two 3/16" (5mm) holes
- Brass supplied with two 0.218" (6mm) holes
- Laser etched permanent black copy

### Product Description:

Laser etched nameplates are ideal for corrosive environments that require variable or complex information that needs to have contrasting black copy. Also ideal for areas that are washed down frequently or on apparatus that have high surface temperature.

### Engraving Depth:

- Surface Etched

### Durability:

- 10 years outdoors when exposed to normal weather conditions.
- Excellent durability in many corrosive environments.
- Extremely harsh areas should be tested for compatibility.

### Lettering Size & No. of Text Lines:

- Copy size is determined based on number of characters to be etched and nameplate size selected.
- Standard copy sizes: 3/16" (5mm), 1/4" (6mm), 3/8" (10mm), 1/2" (13mm), 1" (25.4mm), 1.5" (38mm) or Copy To Fit.
- Numbers of lines: Multiple (vary based on plate size selected)

### Size & Shapes:

- 3 x 1" (76 x 25.4mm)
- 4 x 1-1/2" (102 x 38mm)
- 4 x 2" (102 x 51mm)
- 6 x 4" (152.4 x 102mm)



DATE: \_\_\_ / \_\_\_ / \_\_\_

JOB: \_\_\_\_\_

CONTRACTOR: \_\_\_\_\_