

Product Information Bulletin

P.O. Box 467 | 64 Outwater Lane, Garfield, NJ 07026 Ph: 973-340-7889 | Fax: 973-340-7809



FDC SIGN



Material Information

Rust Free Coated Aluminum Sheeting:

- Rust free aluminum signs usually coated white on both sides.
- Graphics are digital or screen printed with UV inks.
- Aluminum will not chip, crack or rust.
- Aluminum is one of the most durable material options offered, with excellent resistance to harsh weather conditions.
- Printed image will resist fading and mild chemicals.
- Outdoor Durability: 4 to 5 years
- Service Temp Range: -40°F to 212°F
- Printing Process: Digital or Screen
- Mounting: wall or fence mounting only.

Rigid Material: Treated Polyethylene Plastic (.055"):

- Polyethylene is a rust free, chip and crack resistant plastic (in white or yellow) treated for digital and screen printing.
- Graphics are either digital or screen printed UV inks.
- Polyethylene signs are an economical alternative to aluminum signs, without significant compromise on durability.
- Printed image will resist fading and mild chemicals.
- .055 thick plastic is typically used for safety signs up to 20 x 14"
- Outdoor Durability: 2 to 4 years
- Material Flexibility: .055" thick bends easily without causing material fractures, could be molded to fit certain surfaces.
- Service Temp Range: -40°F to 180°F
- Ink Features: Printed with UV Inks
- Printing Process: Digital or Screen
- Over laminate: None

DATE: ___ / ___ / ___

JOB: _____

CONTRACTOR: _____